

Cirpreme™

HERBICIDE

ARYLEX™
ACTIVE

New Cirpreme™ herbicide from Dow AgroSciences will provide growers with selective, post-emergent control of the most difficult annual and perennial broadleaf weeds. Just GO and don't look back, Cirpreme has it covered.

Cirpreme is:

- Failsafe control of annual and perennial broadleaf weeds in wheat and barley.
- Highly effective on big or small weeds, in large or small crops.
- Exceptional performance on tough perennials like Canada thistle and dandelion.
- Combination of two powerful Group 4 active ingredients and one Group 2 in a low-dose, highly concentrated formulation for ease of use.
- Multi-modes of action for effective resistance management.
- Complements Simplicity™ GoDRI™ for total grass + broadleaf weed control.

Cirpreme + 350-420 g/ha MCPA Ester

- | | | |
|--|--|---|
| • Buckwheat, wild | • Mustard, ball ³ | • Stinkweed ³ |
| • Burdock | • Mustard, wild ³ | • Stork's-bill (up to the 8-leaf stage) |
| • Canola, volunteer (all types) | • Narrow-leaved hawk's-beard (up to the bud stage) | • Sunflower, annual |
| • Chickweed ¹ | • Pigweed, redroot ¹ | • Sunflower, volunteer |
| • Cleavers (1-9 whorl stage) ¹ | • Plantain (top growth) | • Vetch |
| • Cocklebur | • Prickly lettuce | Perennial broadleaf weeds |
| • Cow cockle | • Radish, wild | • Alfalfa, volunteer (up to 25 cm in height) |
| • Dandelion (seedlings, overwintered rosettes and mature plants) | • Ragweed, common (up to 6-leaf stage) ⁴ | • Thistle, Canada (up to the bud stage) |
| • Field horsetail (top growth) | • Round-leaved mallow (up to the 6-leaf stage) | • Sowthistle, perennial (up to the bolting stage and 20 cm in height) |
| • Flax, volunteer | • Shepherd's-purse (up to bolting and 20 cm in height) | Weeds suppressed |
| • Fleabane, Canada (up to 15 cm in height) ⁴ | • Smartweed, annual (green smartweed, lady's thumb) | • Dandelion (overwintered rosettes > 15 cm, mature plants) |
| • Flixweed (up to 8-leaf and 8 cm in height) | • Sowthistle, annual (up to 4-leaf stage) | • Kochia ² |
| • Hemp-nettle ¹ | | |
| • Lamb's-quarters ¹ | | |

Weed stage: (1- to 8-leaf unless otherwise specified)

¹ Including Group 2 resistant biotypes

² Light to moderate infestation (up to 150 plants/m²; up to 15 cm in height), including Group 2 resistant biotypes

³ Best results are obtained when applied to actively growing weeds in the 1- to 4-leaf (seedling) stage

⁴ Including Group 2 and 9 resistant biotypes

Crops

- Wheat
- Barley

When to apply

3-leaf to flag leaf emergence

Rainfast

Research is being conducted

Crop safety

Excellent

Tank mixes

- MCPA
- 2,4-D
- Simplicity GoDRI
- Axial®
- Everest®

Crop rotations

Seed to all major crops the year following application (except lentils).